

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 1 | "20020095488".PN. | US-PGPUB; USPAT | OR | ON | 2007/10/17 11:18 |
| S2 | 3450 | (encode store record save generate code encoding storing recording saving generating coding) with service with (offered offer data information) with address AND @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/17 14:00 |
| S3 | 644 | S2 and IP and bits | US-PGPUB; USPAT | OR | ON | 2007/10/17 11:29 |
| S4 | 61 | S2 and IPv6 and bits | US-PGPUB; USPAT | OR | ON | 2007/10/17 14:00 |
| S5 | 1 | "5799016".PN. | US-PGPUB; USPAT | OR | ON | 2007/10/17 15:01 |
| S6 | 61 | (encode store record save generate code encoding storing recording saving generating coding) with service with (offered offer data information) with address AND IPv6 AND bits AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/22 15:16 |
| S7 | 15 | ("6873617" "20050220143" "20060277300" "6373835" "6424647" "20020065770" "20060087988" "4566095" "6085100" "5815148" "6212204" "6366893" "6456633" "6456840" "6778517").pn. | US-PGPUB; USPAT | OR | ON | 2007/10/17 15:01 |
| S8 | 767 | (encode encoded store stored record recorded save saved generate generated code coded encoding storing recording saving generating coding integrate integrated) with service with (offered offer data information) with address AND (address with bits) AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/22 15:52 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S9 | 704 | (encode encoded store stored generate generated generating code coded encoding storing recording saving coding integrate integrated) with service with (offered offer data information) with address AND (address with bits) AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/22 16:03 |
| S10 | 136 | (encode encoded store stored generate generated generating code coded encoding storing recording saving coding integrate integrated) with service with (offered offer data information) with address with bits AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/22 16:04 |
| S11 | 90 | S10 AND service near2 (select selection data information) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/22 16:05 |
| S12 | 22 | S11 AND (IP near2 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 10:07 |
| S16 | 10 | ("20020012356" "6101193" "6438122" "6483805" "6643260" "6654610" "6658006" "6728208" "6917617" "H002051").PN. OR ("7136382").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/23 09:03 |
| S17 | 71 | ("4700340" "5309437" "5317568" "5331634" "5383177" "5396543" "5406557" "5410590" "5414754" "5425026" "5450468" "5471461" "5485455" "5502723" "5511065" "5530703" "5537394" "5537401" "5548589" "5553059").PN. OR ("5799016").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/23 09:59 |
| S18 | 8 | S17 AND address.TI. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/23 09:59 |
| S19 | 0 | (10/011034).APP. | USPAT; USOCR | OR | ON | 2007/10/23 10:02 |

| | | | | | | |
|-----|-------|---|---|----|-----|---------------------|
| S20 | 0 | ("2002/0095488").URPN. | USPAT | OR | ON | 2007/10/23 10:02 |
| S21 | 12967 | ((370/392) or (370/400) or (709/245) or (709/223)).CCLS. | US-PGPUB; USPAT | OR | OFF | 2007/10/23 10:12 |
| S22 | 768 | (encode encoded store stored record recorded save saved generate generated code coded encoding storing recording saving generating coding integrate integrated) with service with (offered offer data information) with address AND (address with bits) AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 10:13 |
| S23 | 58 | S21 AND S22 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 10:13 |
| S24 | 0 | encode WITH ("in an ip address" "in a network address" "in a ip address" "in the network address" "in the ip address") AND bits AND ("web service" "service data" "service descriptor" "service description" "service information") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 11:11 |
| S25 | 22 | (virtual near address) with (encode encoding encoded generate generating generated) with service AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 11:12 |
| S26 | 2 | "virtual address" with ("service description" "service information" "service data" "service descriptor") AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 11:59 |
| S27 | 3 | "virtual address" same ("service description" "service information" "service data" "service descriptor") AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 13:48 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S28 | 2 | "20060095584".PN. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 11:59 |
| S29 | 1 | ("6965599").PN. | US-PGPUB; USPAT | OR | OFF | 2007/10/23 13:48 |
| S30 | 4 | (US-20020095488-\$).did. or (US-7136382-\$ or US- 5799016-\$ or US-6965599- \$).did. | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:32 |
| S31 | 1 | S30 AND IPv6 | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:42 |
| S32 | 1 | select with service with IPv6 and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:58 |
| S33 | 2 | select with service with IP with version and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:58 |
| S34 | 1 | S30 AND (IP with version) | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:57 |
| S35 | 0 | ipv6 same ipv4 same fall- back AND @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:58 |
| S36 | 2 | select with service with IP with version and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 15:58 |
| S37 | 5 | select with service with IPv6 and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 16:00 |
| S38 | 32 | (selection choose select) with (ip "internet protocol") with version and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 16:04 |
| S39 | 308 | (selected identified identify identification selecting) with (ip "internet protocol") with version and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 16:05 |
| S40 | 154 | (selected identified identify identification selecting determine determining) same (ip "internet protocol") same version same "ipv4" same "ipv6" and @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 16:06 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S41 | 29882 | Alcatel.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 18:47 |
| S42 | 427 | Galand.INV. Marce.INV. and @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 18:47 |
| S43 | 24009 | Alcatel.AS. and @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 18:47 |
| S44 | 3455 | (encode store record save generate code encoding storing recording saving generating coding) with service with (offered offer data information) with address AND @ad<"20030718" | US-PGPUB; USPAT | OR | ON | 2007/10/23 18:48 |
| S45 | 16 | (S42 S43) AND S44 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 18:50 |
| S46 | 212 | (S42 S43) AND service AND broadcast and (select selection) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/23 18:50 |
| S47 | 1 | ("6125391").PN. | US-PGPUB; USPAT | OR | OFF | 2007/10/29 15:20 |
| S48 | 1 | ("6092178").PN. | US-PGPUB; USPAT | OR | OFF | 2007/10/30 08:33 |
| S49 | 496 | Galand.INV. Marce.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 10:40 |
| S50 | 30861 | Alcatel.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 10:40 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S51 | 6393 | (encode store record save generate code encoding storing recording saving generating coding) with service with (offered offer data information) with address | US-PGPUB; USPAT | OR | ON | 2008/05/19 10:41 |
| S52 | 8 | (S49 S50) AND service AND broadcast and (select selection) AND S51 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 10:42 |
| S53 | 14476 | ((370/392) or (370/400) or (709/245) or (709/223)).CCLS. | US-PGPUB; USPAT | OR | OFF | 2008/05/19 10:42 |
| S54 | 783 | (encode encoded store stored record recorded save saved generate generated code coded encoding storing recording saving generating coding integrate integrated) with service with (offered offer data information) with address AND (address with bits) AND @ad<"20030718" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 10:42 |
| S55 | 64 | S53 AND S54 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 10:42 |

5/19/2008 11:51:15 AM

C:\Documents and Settings\ihussain\My Documents\EAST\Workspaces
 \10564726_alcatel_servicesselection.wsp